

SAFETY DATA SHEET TURBOJET AIR SANITISER SPRAY AEROSOL 500ml - LEMON

Section 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Product Form: Mixture Product Name: Turbojet air sanitiser Product No: EFF294918 1.2 Relevant identified uses of the substances of mixture and uses advised against 1.2.1 Relevant Identified uses Air Freshener for general use 1.2.2 Uses advised against No additional information available 1.3 Details of the supplier of the data sheet Supplier **AFT Aerosols** Unit 8, Berryhill industrial estate Berryhill road Fenton Stoke- on- Trent ST4 2NL **1.4 Emergency telephone number**

+44 (0) 1782 285 700 Mon – Thurs 0730-1730: Fri 0730-1400

Section 2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to (EC) 1272/2008 [CLP]

Aerosol Category 1 H222;H229

Serious eye damage/eye irritation Category 2 H319 The full text for all Hazard statements are displayed in Section 16.

Adverse physicochemical, human health and environmental effects Pressurised container: May burst if heated. Extremely flammable aerosol **2.2 Label elements** Label in accordance with (EC) 1272/2008 [CLP] Hazard pictograms (CLP)



AFT Aerosols Ltd		REV 5.0 J/		JANUARY 2024	
		GHS02		GHS07	
Signal Word (CLP):	Danger				
Hazard Statements (C	LP):				
	H222	Extremely Flamm	nable Aero	sol	
	H229	Pressurised cont	ainer: May	burst if heated	
	H319	Causes serious e	ye irritatio	n	
Precautionary Statem	ents (CLP):				
	P102	Keep out of reac	h of childr	en	
	P210	Keep away from	heat, hot s	surfaces, sparks,	open flames and other
		ignition sources.	No smokir	ng	
	P211	Do not spray on an open flame or other ignition source			
	P251	Do not pierce or burn even after use			
	P501	Dispose of contents/container in accordance with Local Regulations			
Supplementary Precautionary Statements:					
	P273	Avoid release int	o the envi	ronment	
	P305+351+338	IF IN EYES: Rinse	cautiously	with water for s	everal minutes. Remove contact
		lenses, if present	and easy	to do. Continue	rinsing.
	P370+378	In case of fire: Us	se carbon o	dioxide, dry chen	nical, foam for extinction.
	P410+412	Protect from sun	light. Do n	ot expose to ten	nperatures exceeding
		50°C/122°F.			
2.3 Other hazards:					
	No additional in	nformation availab	ble		

Sections 3. Composition / information on ingredients

3.1 Substance

Not applicable

3.2 Mixtures

Contains: EC Name CAS % Classification for (CLP) 1272/2008 Petroleum Gases Liquified 68476-85-7 270-704-2 70-100% Flam Gas 1-H220 Ethyl alcohol 64-17-5 200-578-6 Flam Lig 2-H225 <20% Eye Irrit 2:H319 (SCL ≥50%)

The full text for Hazard and Precautionary statements are listed in Section 16.

Section 4. First aid measures

4.1 First aid measures

General information

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

Inhalation

Move the exposed person to fresh air at once. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Keep the affected person warm and at rest. Get prompt medical attention. **Ingestion**

DO NOT induce vomiting. Get medical attention immediately

Skin contact

Wash the skin immediately with soap and water. Promptly remove clothing if soaked through and wash as above. Get medical attention if any discomfort continues.

Eye Contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms/injuries:	Not expected to present a significant hazard under anticipated conditions of normal use
Symptoms/injuries after inhalation:	Not expected to present a significant inhalation hazard under anticipated conditions of normal use. May cause slight irritation.
Symptoms/injuries after skin contact:	Not expected to present a significant skin hazard under anticipated conditions of normal use. May cause slight irritation.
Symptoms/injuries after eye contact:	Causes eye irritation.
Symptoms/injuries after ingestion:	Not expected to present a significant ingestion hazard under anticipated conditions of normal use. May cause a light irritation of the linings of the mouth, throat, and gastrointestinal tract.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable media:	Carbon dioxide, Dry chemical, Foam.			
5.2 Special hazards arising from the substance or mixture.				
Fire hazard:	Extremely flammable aerosol			
Reactivity in case of fire:	Not known			
Hazardous decomposition				
Products in case of fire:	Toxic fumes may be released			
5.3 Advice for fire fighters:				
Precautionary measures fire:	Stop leak if safe to do so			
Firefighting instructions:	Eliminate all ignition sources if safe to do so. Fight fire with normal			
	Precautions from a reasonable distance			
Protection during firefighting:	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.			

Section 6. Accidental release measures

6.1 Personal precautions, pr	otective equipment and emergency procedures:		
General measures:	Ensure adequate ventilation. Eliminate ignition sources. Avoid release into		
	The environment.		
6.1.1 For non-emergency pe	rsonnel		
Protective equipment:	Not required for normal conditions of use		
Emergency procedure:	Ventilate spillage area. Eliminate all ignition sources if safe to do so. Avoid contact		
	With skin and eyes		
6.1.2 for emergency respond	ders_		
Protective equipment:	Do not attempt to take action without suitable protective equipment. For further		
	Information refer to section 8:"Exposure controls/personal protection". Avoid		
	Contact with skin and eyes.		
Emergency procedure:	Ventilate spillage area. Eliminate all ignition sources if safe to do so.		
6.2 Environmental precaution	ons:		
Avoid release into the enviro	nment.		
6.3 Methods and material for	or containment and cleaning up:		
For containment:	Not applicable		
Methods for cleaning up:	This material and its container must be disposed of in a safe way, as per		
	local regulations and legislation.		
Other information:	This material and its container must be disposed of as hazardous waste. Dispose of		
	in a safe way, as per local regulations and legislation.		
6.4 Reference to other section	<u>ons:</u>		

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Additional hazards when	
processed:	Handle empty containers with care because residual vapours are flammable.
	In use, may form flammable vapour-air mixture. Pressurized container: Do not
	Pierce, or burn, even after use.
Precautions for safe handling:	Keep away from heat, hot surfaces, sparks, open flames and other ignition
	Sources. No smoking. Do not spray on to an open flame or other ignition
	Source. Pressurized container: do not pierce or burn, even after use.
Hygiene measures:	Do not eat, drink or smoke when using this product.
7.2 Conditions for safe storage	, including any incompatibilities.
Technical measures:	Ensure adequate ventilation
Storage conditions:	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F
	Store in a well ventilated place. Keep cool.
Incompatible products:	Strong bases, strong acids. Oxidising agents.
Incompatible materials:	Sources of ignition. Heat sources. Direct sunlight.
Storage area:	Store in a well ventilated place. Keep away from open flames, hot surfaces,
	And sources of ignition.
Special rules on packaging:	Keep only in original container.
7.3 Specific end use(s):	
Air care products. Use in accord	dance with good manufacturing and industrial hygiene practices

Air care products. Use in accordance with good manufacturing and industrial hygiene practises.

Section 8. Exposure controls/personal protection

8.1 Control Parameters

No additional information available.

8.2 Exposure controls

Workplace exposure limits:

Ingredient	CAS	EC	STD	TWA – 8 Hrs	STEL- 15 Min	Reference
Petroleum	6847	270-	WEL	1000 ppm	1250ppm	UK EH40 Dec
Gases	6-85-	704-2		1750 mg.m ³	2180 mg.m ³	2011
Liquefied	7					
Ethyl	64-	200-	WEL	1000 ppm		UK EH40 Dec
alcohol	17-5	578-6		1290 mg.m ³		2011

Derived No Effect Levels (DNEL):

Petroleum Gases Liquified	Petroleum Gases Liquified					
Not applicable						
<u>Ethanol</u>						
DNEL for workers						
Inhalation DNEL (short term,	1900 mg/m3	(irritation respiratory tract)				
local)						
Inhalation DNEL (long term,	950 mg/m3	(carcinogenicity)				
systemic)						
Dermal DNEL (long term,	343 mg/kg bw/day	(repeated dose toxicity)				
systemic)						
DNEL for the general population	1					
Inhalation DNEL (short term,	950 mg/m3	(irritation respiratory tract)				
local)						
Inhalation DNEL (long-term,	114 mg/m3	(carcinogenicity)				
systemic)						
Dermal DNEL (long-term,	206 mg/kg bw/day	(repeated dose toxicity)				
systemic)						

Predicted No Effect Concentration (PNEC):

Petroleum Gases Liquified

Exposure assessments have not been presented for the environment, therefore PNEC values not required

<u>Ethanol</u>	
PNEC aqua (freshwater)	0,96 mg/L
PNEC aqua (marine water)	0,79 mg/L
PNEC aqua (intermittent	2,75 mg/L
releases):	
PNEC sediment (freshwater):	3,6 mg/kg sediment dw
PNEC sediment (marine water):	2,9 mg/kg sediment dw
PNEC soil	0,63 mg/kg soil dw
PNEC STP (Sewage Treatment	580 mg/L
Plant)	
PNEC oral (food chain)	0,72 g/kg food

8.2 Exposure Controls

Engineering Measures

Distribution, Workplace and Household Settings: Ensure adequate ventilation

Personal Protective Equipment

Eye Protection

Distribution, Workplace and Household Settings: No special protective equipment required Hand Protection

Distribution, Workplace and Household Settings: No special protective equipment required **Skin and Body Protection**

Distribution, Workplace and Household Settings: No special protective equipment required **Respiratory Protection**

Distribution, Workplace and Household Settings: No special protective equipment required

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

9.1 Information on basic physical and chemical properties				
Liquid				
Aerosol.				
Amber/Clear				
Fragrance				
No data available				
No data available				
plicable - aerosol				
No data available				
Not applicable – aerosol				
No data available				
Not applicable				
No data available				
No data available				
No data available				
No data available				
No data available				
No data available				

AFT Aerosols Ltd (s) Vapour pressure REV 5.0 No data available

No data available

- (t) Relative density
- (v) Particle characteristics
 - Particle Size No data available
 - Particle size distribution No data available

9.2 Other information

No data available

9.2.1 Information with regards to physical hazards classes

Not applicable

9.2.2 Other safety characteristics

No data available

Section 10.Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid contact with hot surfaces/heat. No flames; no sparks. Eliminate all sources of ignition

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated in accordance with methods given in regulation (EC) No 1272/2008.

Based upon the hazardous properties of the component substances, and their concentrations, this product has been assessed according to the calculation method of CLP, and found not to be classified for toxicological effects.

0	
Acute Toxicity:	Not classified
Ethyl Alcohol:	
LD50 Oral – Rat	10,470 mg/kg
LC50 Inhalation – Rat	30,000 mg/l – 4 h
LD50 DermaL – Rabbit	15,800 mg/kg
Skin corrosion/Irritation	Not classified
Serious eye damage/eye irritation	Not classified
Repiratory or skin sensation	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive Toxicity	Not classified
Specific Target Organ Toxicity	Not classified
Aspiration hazard	Not classified
Potential adverse human health	
Effects and symptoms	Based on available

Based on available data, the classification criteria are not met

11.2 Additional Information

Endocrine disrupting properties

JANUARY 2024

AFT Aerosols Ltd

REV 5.0

Product: Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated., Central nervous system depression, Gastrointestinal disturbance, Nausea, Dizziness, Headache, narcosis, May cause convulsions. Other dangerous properties can not be excluded.

Section 12. Ecological information

12.1 Toxicity:

Based upon the hazardous properties of the component substances, and their concentrations, this product has been assessed according to the calculation method of CLP, and found not to be classified for ecological effects.

Ethyl alcohol

Toxicity to fish	LC55 – Primephales promelas (Fathead minnow) – 14,200 mg/l – 96 h		
Toxicity to daphnia and other			
Aquatic vertebrates	LC50 – Ceriodaphnia dubia (Water flea)	- 5,012 mg/l – 48 h	
Toxicity to algae	EC50 – Chlorella vulgaris (Fresh water algae)	- 275 mg/l – 72 h	
	(OECD Test Guidelines 201)		

Liquid petroleum gases

Physical properties indicate that petroleum gases will rapidly volatilise from the aquatic environment and that acute and chronic effects would not be observed in practice.

12.2 Persistence and degradability:

Ethyl alcohol

Result: 95% - Readily biodegradable

Liquid petroleum gases

Expected to be readily biodegradable. Oxidises rapidly by photo-chemical reactions in air

12.3 Bioaccumalative potential:

Ethyl alcohol

Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.

Liquid petroleum gases

Not expected to bioaccumulate significantly

12.4 Mobility in soil:

Ethyl alcohol

No data available

Liquid petroleum gases

Because of their extreme volatility, air is the only environmental compartment that hydrocarbon gases will be found. **12.5 Results of PBT and vPvB assessment:**

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects:

No data available.

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal according to Local Authority Regulations

Section 14. Transport information

<u>14.1 UN Number</u>	
UN No (ADR/RID/ADN)	1950
UN No (IMDG)	1950
UN NO (ICAO)	1950
14.2 UN Proper Shipping Name	

AFT Aerosols Ltd ADR/IMDG/AND/RID IATA 14.3 Transport Hazard Class(es) ADR/RID/ADN Class ADR/RID/ADN Class ADR Label No IATA IMDG Class ICAO Class/Division ICAO Subsidiary Risk ICAO TEC* No Air Class UK Road Class Transport Labels	AEROSOLS Aerosols Flam 2.1 Class 2: Gases 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1	
14.4 Packing Group		2
<u></u>	Not Applicabl	e
14.5 Environmental Hazards		
Dangerous for the environment	No	
Marine pollutant	No	
Other information	No suppleme	ntary information available
14.6 Special Precautions for user		
Overland Transport		
Classification Code (ADR): Special Provisions (ADR):	5F	100 227 244 625
Limited Quantities (ADR):		190,327,344,625 1l
Excepted Quantities (ADR):		EO
Packing Instructions (ADR):		P207,LP02
Special Packing provisions (ADR):		PP87, RR6, L2
Mixed Packing provisions (ADR):		MP9
Transport Strategy (ADR):		2
Special provisions for carriage – Packag	zes (ADT)	V14
Special Provisions for carriage – Loadin		
and handling (ADR):	0, 0	CV9, CV12
Special provisions for carriage – Operat	tion (ADR):	S2
Tunnel Restriction Code:	, , ,	D
Transport by Sea		
Special Provisions (IMDG):		63,190,277,327,344,959
Limited Quantities (IMDG):		SP277
Excepted Quantities (IMDG):		EO
Packing Instructions (IMDG):		P207,LP02
Special Packing provisions (IMDG):		PP87,L2
EmS-No (Fire):		F-D
EmS-No (Spillage):		S-U
Stowage category (IMDG):		None
Stowage and Handling (IMDG):		SW1,SW22
Segregation (IMDG):		SG69
MFAG-No:		126
Air Transport		50
PCA Excepted Quantities (IATA):		EO
PCA Limited Quantities (IATA):		Y203

AFT Aerosols Ltd	REV 5.0	
PCA Limited Quantity max net quantity (IATA):	30KgG	
PCA Packing instructions (IATA):	203	
PCA max net quantity (IATA):	75Kg	
CAO packing instructions (IATA):	203	
CAO max net quantity (IATA):	150Kg	
Special provisions (IATA):	A145,A167,A802	
ERG Code (IATA):	10L	
Inland Waterway Transport		
Classification Code (ADN):	5F	
Special Provisions (ADN):	190,327,344,625	
Limited Quantities (ADN):	1L	
Excepted Quantities (ADN):	EO	
Equipment required (ADN):	PP,EX,A	
Ventilation (ADN):	VE01,VE04	
Number of blue cones/lights (ADN):	1	
Rail Transport		
Classification Code (RID):	5F	
Special Provisions (RID):	190,327,344,625	
Limited Quantities (RID):	1L	
Excepted Quantities (RID):	EO	
Packing Instructions (RID):	P207,LP02	
Special Packing provisions (RID):	PP87,RR6,L2	
Mixed Packing provisions (RID):	MP9	
Transport Category (RID):	2	
Special Provisions for carriage – Packages (RID):	W14	
Special Provisions for carriage – Loading, unloading		
and handling (RID):	CW9, CW12	
Colis Express (express parcels) (RID):	CE2	
Hazard Identification No (RID): 23		
14.7 Transport in bulk according to Annex II of MARPOL and the IBC code		

Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Labelling according to Regulation (EC) No 1272/2008 The chemicals (Hazard information and packaging for supply) regulations 2009 (S.I 2009 No. 716). Control of substances hazardous to health. Approved code of practice. Guidance notes Workplace exposure limits EH40. <u>15.1.1 EU-Regulations</u> Contains no REACH substances with Annex XVII restrictions. Contains no REACH Annex XIV substances. <u>15.1.2 National Regulations</u>

No additional information available.

15.2 Chemicals safety assessment

A chemical safety assessment has not been carried out for this product.

Section 16. Other information

General Information:

This product should be used as directed. For further information consult the product data sheet or contact Technical Services.

JANUARY 2024

This Safety Data Sheet was compiled using current safety information supplied by the distributor of raw materials. Classification under regulation (EC) No 1272/2008

Hazard statements in full

H220	Extremely flammable gas.
H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H229	Pressurised container. May burst if heated
H304	May be fatal if swallowed and enters airways
H316	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H410	Very toxic to aquatic life with long lasting effects

Abbreviations

Flam Gas 1	Flammable Gas Category 1
	0,
Flam Liq 2	Flammable Liquid Category 2
Flam Liq 3	Flammable Liquid Category 3
Asp Tox 1	Aspiration Toxicity category 1
Skin Irrit 2	Skin irritant category 2
Skin Sens 1	Skin sensitivity category 1
Aquat Chron 1	Aquatic Chronic category 1
LD50	Lethal Dose 50%
LC50	Lethal Concentration 50%
OECD	Organisation for Economic and Co-operative Development
PBT	Persistent Bioaccumulative Toxicity
vPvB	Very Persistent Very Bioaccumulative
IMDG	International Maritime Transport of Dangerous Goods
ICAO	International Civil Aviation Organisation

ISSUE:

ISSUE 5.0

JANUARY 2024

LAST REVISED:

DISCLAIMER

The Information provided herein, especially recommendations for the usage and the application of this products, is provided in good faith, and no liability on the part of Sovereign Aerosols is stated or implied. No employee of AFT Aerosols Ltd has the authority to waive or alter in any way the content of this document.

Due to different materials used, as well as to varying working conditions, production techniques, and the requirements of the end users, all of which are beyond our control, we strongly recommend that thorough and extensive trials are carried out in order to test the suitability of our products with regard to the required processes and applications. This should also include an ageing test which should be applied to all substrates used.

It is also the responsibility of the purchaser and end user of this product to ensure that all appropriate actions necessary for the protection of the environment, and for the health and safety of their employees are observed.

This datasheet replaces all former versions